

Index

A

Acid melting practice

- acid steelmaking, 92–94
- alloys, additions, 95
- alloys, loss of, 95
- the charge, 94
- deoxidation, 94–95
- overview, 91–92
- the oxidation, 94

Acid steelmaking

- complete oxidation, 93
- meltdown period, 93–94
- overview, 92
- in partial oxidation, 92–93
- refining period, 94

Aging, 405–406

Aluminum alloy ingot casting and continuous processes

- continuous processes. *See also* Continuous processes
- DC process, solidification in, 1006
- ingot casting processes
 - DC process variations, 1003, 1004
 - direct chill process, 1002–1003
 - open-mold casting, 1002
 - overview, 1002
 - particle processes, 1003–1004
- ingot forms, 1001, 1002
- molten-metal processing, 1001–1002
- overview, 1001
- postsolidification processes, 1007
- safety, 1007

Aluminum and aluminum alloy castings

- alloying and impurity elements, effects of, 1059–1063
- aluminum casting alloys, properties of
 - corrosion, 1081
 - fatigue, 1077, 1079–1081
 - hot cracking, 1082–1083
 - mechanical properties, 1081–1082
 - molten metal fluidity, 1082, 1083
 - overview, 1077, 1078–1079, 1080, 1081
 - shrinkage, 1082
- aluminum-silicon alloys, modification and refinement of
 - chemical modifiers, 1066–1067, 1068
 - hypereutectic aluminum-silicon alloys, 1068–1069
 - phosphorus, importance of, 1067
- casting applications, foundry alloys for specific
 - die-casting compositions, 1069
 - premium engineered castings, 1070–1071
 - rotor castings, 1069–1070
- chemical compositions, 1059
- heat treatment
 - annealing, 1075
 - heat treating problems, 1075–1076
 - natural aging, 1075
 - overview, 1072
 - precipitation heat treating/aging, 1075
 - property development, natural versus artificial, 1076
 - quality control, 1076
 - quenching, 1074–1075
 - solution heat treatment, 1072–1074
 - stability, 1076

- overview, 1059
- structure control
 - grain structure, 1063–1066
 - nondendritic microstructures, 1063, 1064
 - overview, 1063
 - secondary dendrite arm spacing, 1063, 1065
- welding of, 1077

Aluminum and its alloys, gases in

- inert gas flushing, 68–70
- overview, 67
- solidification, hydrogen solubility and reactions during, 67–68, 69
- solidification, reactions during, 68

Aluminum-base and copper-base alloys, thermodynamic properties of

- activities, 56
- hypothetical standard state, thermal properties for, 58
- interaction coefficients, 56–58
- overview, 56
- phase diagrams, 58, 60
- thermal properties, 56, 57, 58, 59, 60, 61

Aluminum casting alloys, grain refinement of

- grain refinement, benefits of, 260, 261
- grain refinement, mechanisms of, 255–257
- grain refiner, boron as, 257–258
- grain size, measurement of, 255, 256
- overview, 255
- practices
 - aluminum-copper casting alloys, 259
 - aluminum-magnesium casting alloys, 260
 - aluminum-silicon casting alloys, 258–259
 - aluminum-silicon-copper casting alloys, 259
 - aluminum-zinc-magnesium casting alloys, 259

titanium, forms of

- insoluble, 258
- soluble, 258

Aluminum degassing

- degassing process, other considerations for, 188
- overview, 186–187
- process gas, selecting, 188
- rotary impeller degassing, 187–188

Aluminum fluxes and fluxing practice

- aluminum fluxing
 - flux morphology, 233
 - gas fluxing, 231
 - solid fluxes, 231–233
- fluxes, categories of, 233–234, 235
- foundry practices
 - flux injection, 235–236
 - fluxing applications, 237–238
 - overview, 235
 - practical application, 236–237
- overview, 230–231

Aluminum fluxing. *See* aluminum fluxes and fluxing practice

Aluminum shape casting

- casting process selection
 - aluminum, pressure die casting of, 1013–1016
 - expendable mold methods, 1011–1013, 1015, 1016, 1017, 1018
 - overview, 1010–1011, 1012, 1013, 1014
- melting and melt handling
 - die casting cycle, 1010
 - die castings, gating of, 1010
 - gating and risering principles, 1010

- gravity casting, 1009–1010
- overview, 1009
- pouring, 1010
- overview, 1009
- premium engineered castings
 - melt processing and solidification, 1016
 - mold filling, 1017–1018
 - mold materials, 1016–1017
 - overview, 1016

Aluminum-silicon alloys, modification of

- eutectic grain structure
 - copper segregation, 247, 248
 - feeding and shrinkage formation, 246–247
 - iron segregation, 247, 248
 - overview, 245–246
- eutectic nucleation, 244–245
- foundry practices, recommended
 - gas pickup and degassing, 248
 - how much to add, 248
 - mold reactions, 249
 - quality control testing, 248–249
 - strontium, adding, 247–248
- heat treated castings, 241–242
- modification mechanisms, 243–244
- other elements, effect of
 - antimony, 249–250, 251
 - bismuth, 250
 - boron, 250
 - calcium, 250
 - magnesium, 250
 - phosphorus, 249
- overview, 240–241
- porosity and shrinkage formation, 242–243
- silicon eutectic, growth of
 - lamellar structure, 249
 - mostly modified structure, 249
 - nonmodified structure, 249
- overall ratings, 249
- overview, 249, 250
- super modified structure, 249
- transitional lamellar structure, 249

Aluminum-silicon eutectic

- aluminum-silicon equilibrium phase diagram, 312–313
- chemical modification of, theories of, 315–316
- microstructure of, 313, 314
- solidification of, theories of, 313–315
- structure, classification of, 313

Arc furnace components

- back-slagging pits, 90
- fume/dust collection, 90, 94, 95
- furnace shell, 93
- ladles, 90, 95, 96
- pre-heat burners, 90
- spout, 90, 93
- tap hole, 90, 93
- tap-out, 90
- water-cooling system, 90

Argon oxygen decarburization (AOD)

- carbon steels, processing of, 210–211
- composition improvement with, 211
- equipment, 209–210
- fundamentals, 209
- low-alloy steels, processing of, 210–211
- overview, 208–209
- oxygen top and bottom blowing (OTB), 211–212

1226 / Reference Information

Argon oxygen decarburization (AOD) (continued)
property improvement with, 211
stainless steels, processing of, 210
Argon stirring (argon rinsing), 216–217

B

Basic melting practice

alloys, loss of, 98
basic steelmaking, 95–97
the charge, 97
final deoxidation, 97–98
heat, reducing, 97
overview, 95

Basic steelmaking

the charge, 95
oxidizing period, 95–96
reducing/refining the heat, 96–97

Bifilm, the

bifilms, 362–363
entrainment, 363–364
fracture, central role of bifilm defects in, 368
furling, 364
mechanical properties, reliability and reproducibility of, 367–368
overview, 362
unfurling
dendrite pushing, 366
gas precipitation from solution (formation of gas microporosity), 364–366
intermetallics, nucleation and growth of, 367
linear contraction (hot tearing), 366
overview, 364
solidification contraction, shrinkage due to, 366

C

Cast iron

gas-liquid reactions, kinetics of, 64–66
hydrogen and nitrogen, solubility of, 64
inert gas flushing, nitrogen and hydrogen removal by, 66–67
solidification, reactions during, 66

Cast iron foundry practices

casting
dimensional control, 820
gating and feeding system, 819–820
overview, 819
casting and solidification
gating systems, 824
overview, 824
pouring temperature and speed, 824
solidification and feeding (risering), 824–825
compacted graphite iron (CG) foundry practice
chemical composition, 826
description of, 826
melt treatment, 826–828, 829
melting practice, 826
molding materials, 829
overview, 826
process control, 828
quality control, 828–829
desulfurization methods, 816–817
ductile iron composition control
aluminum, 821
carbides, minor elements promoting, 821
carbon, 820
carbon equivalent, 820–821
cerium, 821
hardenability, alloying elements to promote, 821–822
magnesium, 821
manganese, 821
nonspheroidal graphite, minor elements promoting, 821, 822
pearlite, minor elements promoting, 821
phosphorus, 821
silicon, 820
special properties, alloying elements to achieve, 822
sulfur, 821

ductile iron foundry practice
melting practice, 820
overview, 820
ductile iron production quality tests
mechanical test coupons, 826
metal composition, 825
nodularity and nodule number, 825–826
gray iron alloying, 818–819
high-alloy white irons, foundry practice for, 831
high-chromium white irons, 832–833
high-nickel ductile irons foundry practice, 830
high-silicon ductile irons, foundry practice for, 830
high-silicon gray irons, foundry practice for, 830–831
inoculation, 823–824
addition methods, 818
defined, 817
inoculant evaluation, 818
inoculant, purpose of, 817
inoculant, types of, 817–818
magnesium content, control of, 823
magnesium treatment, 822–823
malleable iron foundry practice, 829–830
melting practice
arc furnace melting, 816
charge components, storage and handling of, 816
Cupola furnace, 813–815. *See also* Cupola furnaces
Cupolas, charge composition for, 815–816
induction furnaces, charge materials for, 816
induction melting process, 812–813, 814
overview, 813, 814
nickel-chromium white irons, 831–832
overview, 812, 813
pouring, 819

Cast iron, inclusions in

ductile cast iron, 80–81
gray cast iron, 80

Cast iron: solidification of eutectic alloys

cooling curve analysis, 327
coupled zone, 320–321
directional solidification, 321–322, 323
isothermal solidification, 321
liquid iron-carbon alloys, structure of, 317
multidirectional solidification
austenite-iron carbide eutectic, 326, 329
compacted/vermicular graphic eutectic, 325–326, 328, 329
flake(lamellar) graphite eutectic, 322, 324
spheroidal graphite eutectic, 322–325, 326, 327
nucleation of eutectic in cast iron
austenite-flake graphite eutectic, 318–320
austenite-graphite eutectic, structure of graphite in, 317–318
austenite-iron carbide eutectic, 320
austenite-iron carbide eutectic, structure of iron carbide in, 320
austenite-spheroidal graphite eutectic, 320
overview, 317
primary phases, nucleation of
primary austenite, 320
primary graphite, 320

Cast irons, introduction to

acoustic properties, 801–802
classification of
compacted graphite iron, 788
ductile iron, 788
gray iron, 787
high-alloy irons, 788
malleable iron, 786–787
overview, 785, 786
white irons, 785–786, 787
coatings
electroplating, 809
overview, 809
short-term corrosion or rust prevention, 809
surface cleaning, 809
thermal spraying, 809
composition of
alloying elements, 790–791
carbon equivalent, 788–789, 790
combined carbon, 789

manganese, 789
minor elements, 790
overview, 788, 789, 790
phosphorus, 789–790
sulfur, 789
conductive properties
electrical resistivity, 798–800
overview, 797
thermal conductivity, 797–798, 799
graphite morphologies
compacted graphite iron, 794
ductile iron graphite, 793–794
gray iron graphite, 792–793
malleable iron graphite, 793
overview, 792
grinding processes
honing, 808–809
lapping, 809
heat treatment
annealing, 802–803
austempering, 805
heating, 804
normalizing, 803
obtainable properties versus tempering temperature, 805
overview, 802
quenching, 804
stress relieving, 802
tempering, 804–805
machining and grinding
machinability of cast iron, effect of microstructure on, 807–808
machinability rating, 807
overview, 806–807
magnetic properties, 799–801
materials selection, 809–810
matrix structure development, 794
overview, 785
physical properties of
density, 794–795
overview, 794
solidification of
chill test, 791
inoculation, 791–792
overview, 791
thermal analysis, 791
thermal properties
latent heat of fusion and solid-state transformation, 796, 797
specific heat and enthalpy, 795–796, 797
thermal expansion, 796–797, 798
tool life, 808
welding of
overview, 805
weld quality, factors affecting, 806
Cast metal-matrix composites, synthesis and processing of, and their applications
components currently in use
automotive industry, 1157–1159
electronic packaging applications, 1159–1160
overview, 1156–1157
space applications, 1159
metal-matrix composites (MMCs), 1149
MMCs, classification of, 1149–1150
MMCs, solidification of, and possible effects of reinforcement on solidification
infiltration process, 1152–1154
liquid alloy, effects of reinforcement present on solidification, 1154–1155
overview, 1150–1151
stir casting, 1151–1152
property motivation, 1155–1156
research imperatives, 1162–1163
select cast MMCs, development of
aluminum-graphite composite, 1160
cast metallic foams, 1161–1162
fly-ash-filled syntactic foams, 1161, 1162
hybrid composites, 1160–1161
lead-free copper alloy/graphite composites, 1160
Castability: fluidity. See Fluidity
Casting applications, numerical methods for. See Computational fluid dynamics (CFD)

Casting failure analysis techniques and case studies

- background information, 1183
- case studies
 - cast aluminum bracket, 1187–1188
 - cast bronze suction roll shell, 1188–1189
 - cast steel spindle, 1189–1190
- data analysis, 1187
- introduction, 1183
- material evaluation
 - chemical analysis, 1185–1186
 - fractography, 1184–1185
 - mechanical testing, 1186
 - metallography, 1186
 - overview, 1184
 - special testing, 1187
- planning and sample selection, 1184
- preliminary examination, 1184
- report preparation, 1187

Casting fracture characteristics

- fracture features
 - ductile rupture, 1179
 - environmentally induced fracture, 1181–1182
 - fatigue, 1180–1181
 - overview, 1179
 - transgranular brittle fracture, 1179–1180
- general fracture examination
 - background information, 1178
 - examination methods, 1178
 - fracture appearance, factors that affect, 1178–1179
 - regions of interest, 1178
 - overview, 1178

Casting: hot tearing. See Hot tearing

Casting practice: guidelines for effective production of reliable castings

- overview, 497
- rule 1: good-quality melt, 497
- rule 2: liquid front damage
 - maximum velocity requirement, 497–498
 - no-fall requirement, 498–499
- rule 3: liquid front stop
 - meniscus, continuous uphill advance of, 499–500
 - overview, 499
- rule 4: bubble damage
 - gravity-filled running systems, 500
 - overview, 500
 - pumped and low-pressure filling systems, 500–501
- rule 5: core blows, 501
- rule 6: shrinkage damage
 - feeding, computer modeling of, 502
 - feeding with gravity, 501–502
 - overview, 501
 - random perturbations to feeding patterns from casting to casting, 502
- rule 7: convection damage
 - casing-section thickness and, 502–503
 - overview, 502
- rule 8: segregation, 503
- rule 9: residual stress, 504–505
- rule 10: location points, 505

Casting processes, computer simulation of. See Computer simulation of casting processes

Castings, hot isostatic pressing (HIP) of

- as-HIPed properties, effect of inclusions on, 412–413
- castings, effect of HIP on shape and structure of microstructural/physical changes,
 - other, 413–414
 - volumetric shrinkage and distortion, 413
- economics of, 415
- HIP system, overview of
 - conditions, selecting, 410, 411
 - HIP cycle, 409–410
 - introduction, 409, 410
 - pore closure, mechanisms of, 411
- history of, 408–409
- mechanical properties, effect on, 411–412, 413
- overview, 408
- problems encountered in
 - surface-connected porosity, 414, 415

- thermally induced porosity, 414–415
- reasons for using, 408–409

Castings, processing and finishing of

- automated gate removal, 517–518
- blast cleaning
 - internal surfaces, 519–520
 - overview, 519
- cleaning operations, 516
- core bake-out method, 516
- core knockout, 514–515
- flame cutting, 519
- gate grinding, 518–519
- high-frequency drive machine, 515
- high-pressure water blast device, 515–516
- inspection
 - liquid penetrant, 520
 - magnetic particle, 521
 - overview, 520
 - pressure testing, 520
 - radiograph, 520–521
 - ultrasonic, 521
- overview, 513
- shakeout, 513–514
- shotblast cleaning, 516

Centrifugal casting

- advantages of, 668
- applications
 - centrifugal casting with combustion synthesis, 672, 673
 - investment casting with centrifugal force, 671–672
 - overview, 671
 - spin casting, 672–673
- centrifugal castings, defects in, 670–671
- equipment
 - casting cooling, 669–670
 - casting extraction, 670
 - casting inoculation and fluxing, 670
 - overview, 669
 - pour equipment, 669
 - spinning, 669
- methods
 - centrifuge (centrifugal die) casting, 668–669
 - overview, 667, 668
 - semicentrifugal (centrifugal mold) casting, 668
 - true centrifugal casting, 667–668
- molds, 670, 671
- overview, 667

Ceramic molding

- applications, 622
- overview, 622
- Shaw process, 622–624
- Unicast process, 624–627

Ceramic shell mold assembly

- applications, 657, 658, 659
- binders
 - colloidal silica, 652
 - ethyl silica, 652
 - hybrid binders, 652
 - liquid sodium silica, 652
 - other materials, 652
- casting methods, 655–656
- ceramic cores, manufacture of
 - preformed cores, 654
 - self-formed cores, 654
- cluster preparation
 - coating, 653
 - drying, 653–654
 - overview, 653
- design recommendations, 657
- ingredients, other
 - antifoam compounds, 652
 - miscellaneous constituents, 652
 - wetting agents, 652
- inspection and testing
 - alloy type test, 656
 - liquid fluorescent inspection, 656
 - magnetic particle inspection, 656–657
 - miscellaneous inspection methods, 657
 - visual inspection, 656
 - x-ray radiography, 657
- investment casting, design advantages of, 657
- investment casting processes, special

- Replicast process, 660. *See also* Replicast process

- Shellvest system, 658–660
- melting equipment, 655
- mold firing and burnout, 654–655
- mold refractories
 - alumina, 652
 - aluminum silicates, 652
 - overview, 651
 - silica, 651
 - yttria, 652
 - zircon, 651
- overview, 651
- pattern removal
 - autoclave dewaxing, 654
 - flash dewaxing, 654
 - liquid dewaxing, 654
 - overview, 654
- postcasting operations, 656
- slurry, control procedures, 653
- slurry formulation, 652–653
- slurry preparation, 653

Chemical kinetics

- alloy additions, kinetics of, 35
- alloy that is solid at bath temperatures,
 - dissolution of, 37
- alloy with melting point lower than bath temperature, dilution of, 35–37
- interphase mass transport, 35
- nucleation, 35
- overview, 35
- steel in iron-carbon melts, dissolution of, 37–40

Cobalt and cobalt alloy castings

- applications
 - aero and land gas turbines, alloys for, 1118
 - corrosion-resistant alloys, 1118
 - orthopedic implants, alloys for, 1118
 - wear-resistant alloys, 1117
- overview, 1114
- physical metallurgy
 - compositions, 1114, 1115
 - crystallography, 1114
 - foundry, 1116–1117
 - overview, 1114
 - phases and microstructure, 1114–1115
 - properties, 1115–1116
- postcasting treatment
 - coatings, 1117
 - heat treatment, 1117
 - hot isostatic pressing (HIP), 1117
 - welding of, 1117

Cold chamber die casting

- machine components
 - clamp end, 724–725
 - overview, 724
 - shot end, 725
- overview, 724
- process parameters
 - component size, 726
 - fast shot, 725
 - intensification phase, 725–726
 - slow shot, 725

Cold hearth melting

- cold hearth versus drip melting, 146, 147
- equipment for, 146
- melted materials, characteristics of, 147
- overview, 145, 146
- principles of, 145–146, 147
- refining and production data, 146, 148
- superalloys, 147

Compacted graphite iron castings

- castability, 873–874
- compacted graphite (CGI) irons, 872
- graphite morphology, 872–873
- mechanical properties and corrosion resistance
 - applications, 879–880
 - compressive properties, 877, 878, 879
 - corrosion resistance, 879
 - fatigue strength, 878, 881, 882
 - impact properties, 878–879, 880, 881
 - overview, 874
 - properties, sonic and ultrasonic testing of, 879, 882, 883

1228 / Reference Information

Compacted graphite iron castings (continued)

- shear properties, 877
- tensile properties and hardness, 874–877, 878

Computational fluid dynamics (CFD)

- casting applications
 - defect simulation, 423, 424
 - fluid flow in tundishes, 423–424
 - gate design, 423
 - overview, 422–423
 - complex geometries, grid generation for
 - mathematical complexity, 422
 - meshing complexity, 421–422
 - overview, 420–421, 422
 - fluid-flow equations, numerical solution of
 - arbitrary Lagrangian-Euler (ALE) equations, 420–421
 - finite-difference methods (FDMs), 420
 - finite-element methods (FEMs), 420, 421
 - finite-volume methods (FVMs), 420
 - overview, 420
 - fundamentals of
 - continuous, compressible media, 419–420
 - fluid flow, constitutive relations of, 420
 - governing principles, 419–420
 - overview, 419
 - turbulence, 420
 - overview, 419
 - Computer simulation of casting processes**
 - boundary conditions
 - flow simulation, 463–464
 - solidification and heat treatment simulation, 464
 - stress and deformation simulation, 464
 - casting defects phenomenon, estimation of
 - cold shuts, 466
 - flow marks, 466
 - gas and inclusions, entrapment of, 465–466
 - misruns, 466
 - porosity estimation, 466
 - surface folds, 466
 - enmeshing
 - element shape, 464
 - element size, 465
 - initial conditions, 463
 - optimization, 466
 - overview, 462
 - physical properties, 464
 - shape and phenomena, modeling of, 462–463
 - simulation, validation and accuracy of, 465
 - structure and properties, estimation of, 466
- Continuous processes**
 - conventional product, comparisons with, 1006
 - overview, 1004–1005
 - slab casting, 1006
 - twin-roll strip casting, 1005
 - wheel-belt processes, 1006
- Converter metallurgy**, 212, 213
- Cooling curves, interpretation and use of.**
See Thermal analysis

Copper alloys

- degassing
 - auxiliary degassing methods, 192
 - copper, gases in, 189–190, 191
 - inert gas fluxing, 191
 - methods, 190–192
 - overview, 189
 - oxidation-deoxidation practice, 190–191
 - solid degassing fluxes, 191–192
 - vacuum degassing, 192
 - zinc flaring, 191
- inclusions in, 82
- vacuum induction melting, 122–123

Copper and copper alloy castings

- alloying additions
 - impurities, 1086–1087
 - major, 1085–1086
 - minor, 1086
- alloying systems and specifications
 - brasses, 1087
 - bronzes, 1087–1088
 - copper-nickel-zinc alloys, 1088
 - copper-nickels, 1088
 - coppers, 1087

- high-copper alloys, 1087
- lead coppers, 1088
- overview, 1087
- special alloys, 1088
- cupronickels, 1091, 1093–1094
- heat treatment, 1091, 1093
- overview, 1085
- physical metallurgy
 - aluminum bronzes, 1090–1091
 - copper-tin-lead-zinc alloys, 1088–1089
 - properties, 1091, 1092–1093
 - types of, 1091
- welding, 1091

Copper and copper alloys, casting of. *See also*

Copper and copper alloy castings

- castability, 1026–1027
- casting process selection
 - centrifugal castings, 1041
 - continuous casting, 1041
 - die casting, 1041
 - investment casting, 1041
 - overview, 1040
 - permanent mold casting, 1041
 - plaster molding, 1041
 - sand casting, 1040
 - shell molding, 1040–1041
- copper alloy castings, production of, 1039–1040
- copper alloys, degassing, 1032–1033
 - gas solubility, 1032–1033
 - gases, testing for, 1033
 - hydrogen, sources of, 1032
 - methods, 1033
 - overview, 1032
- copper alloys, deoxidation of
 - boron deoxidation, 1036
 - copper deoxidizers, relative effectiveness of, 1037
 - deoxidizer addition, testing for proper, 1037
 - high-conductivity copper, 1036
 - lithium deoxidation, 1036–1037
 - magnesium deoxidation, 1037
 - overview, 1035
 - phosphorus deoxidation, 1035–1036
- copper alloys, filtration of, 1037
- copper alloys, fluxing, 1029
- copper alloys, grain refining of, 1037
- copper alloys, pouring temperatures of, 1038
- degassing methods
 - auxiliary degassing methods, 1035
 - inert gas fluxing, 1033, 1035
 - oxidation-deoxidation practice, 1033, 1034
 - solid-degassing fluxes, 1034, 1035
 - vacuum degassing, 1034
 - zinc flaring, 1033, 1034
- feeding
 - group I, 1044–1047
 - group II alloys, 1044–1047
 - group III alloys, 1047–1048
 - overview, 1044
- fluxes
 - melt-refining, 1030–1031, 1032–1033
 - mold, 1031–1032
 - neutral cover, 1029–1030
 - oxidizing, 1029
 - reducing/refining the heat, 1030
- gating
 - casting quality, maximizing, 1044
 - chokes, 1042
 - function of, 1041
 - knife and kiss gating systems, 1043–1044
 - pouring basin, 1041–1042
 - pouring rate, 1042, 1043, 1044
 - runners and gates, 1042–1043
 - spru base, 1042
 - sprue, 1042
- group I alloys, melt treatment for, 1038–1039
- group II alloys, melt treatment for, 1039
- group III alloys, melt treatment for, 1039
- melting and melt control
 - electric induction furnaces, 1028–1029
 - fuel-fired furnaces, 1027–1028
 - overview, 1027
- overview, 1026

Copper and its alloys, gases in

- copper alloys, degassing, 71
- copper alloys, porosity in, 71
- hydrogen solubility and reactions, 70–71
- overview, 70

Copper continuous casting

- history, 1019–1020
- horizontal continuous casting
 - overview, 1022–1023
 - Unicast horizontal casting system, 1023
- overview, 1019
- strip casting
 - Hazlett casting process, 1023–1024
 - overview, 1023
 - Werti strip casting, 1023
- upcasting methods
 - Outokumpu upcasting method, 1021–1022
 - pressure upcast system, 1022
 - Rautomead upwards vertical casting, 1022
- vertical continuous casting
 - overview, 1020
 - upcasting methods, 1021–1022
 - vertical continuous slab casting, 1020–1021, 1022
 - vertical semicontinuous slab casters, 1020, 1021
- wheel casting
 - Ohno continuous casting process, 1024
 - Properzi wheel casting technology, 1024

Coremaking

- assembly and core setting, 588–589
- basic principles of
 - core boxes, 583
 - core drivers, 583
 - core venting, 583
 - cores, reinforcing of, 583
 - overview, 581, 582–583
- compacted cores, curing
 - atmospheric humidity, 586
 - core baking (oil sand), 585–586
 - core blowing, 585
 - sand grain shape, fineness, and permeability, 586
 - thermal conductivity, heat capacity, and density, 586
- compaction
 - core blowing, 584–585
 - overview, 584
- core coatings (core washes), 587–588
- core sands and additives
 - additives, other, 584
 - overview, 583–584
 - release agents, 584
 - sand mixing, 584
- cores, designing to eliminate, 595–596, 597
- coring versus drilling, 596–597
- design considerations
 - chaplets, 590
 - core fragility, 591–592
 - core size limitations, 589–590
 - example: addition of holes to provide core support, 590
 - example: redesign of a sand casting to solve core and mold problems, 590–591
 - example: redesign of casting that eliminated thin core section that caused a hot spot, 592
 - molding and coring details, 590
 - overview, 589
 - thin core sections, 592
 - thin-wall casting sections formed by cores, 592, 593
- green sand versus dry sand cores, 593
- hot box cores
 - applications, 587
 - core boxes, 587
 - curing temperature and time, 587
 - hot box process, advantages of, 587
 - hot box process, disadvantages of, 587
 - machines, 587
 - mixing, 586
 - overview, 586
 - sand control, 586–587
 - sand introduction, 587
- investment castings, cores in, 594–595
- overview, 581, 582

permanent mold castings, cores in, 593
sand coremaking, binders for, 581–582, 583
tortuous passages, coring of, 593–594

Crucible furnaces
applications
 crucible advantages, 155
 crucible and application, matching, 155–156
 overview, 155, 156, 157
design and operation
 burner control, 158
 burner design, 158–159
 charging techniques, 159
 crucible care, 159
 crucibles, cleaning, 159
 furnace atmosphere, 158
 melting and pouring, handling of crucibles during, 159
overview, 155
types
 movable, 158
 stationary, 156–158
 tilting, 158

Cupola furnaces
charge materials
 charge components, storage/handling of, 103, 104
 coke, 103–105
 ferrous alloys, 105
 fluxes, 105–106
 metallic, 105
cokeless Cupola, 107
construction/operation
 blower systems, 101
 bottom doors, 100
 charge doors, 100
 emission-control systems, 103, 104
 intermittent or continuous tapping Cupolas, 101
 refractory lining, 101–102
 shell design, 100–101
 tyeres, 101
 water-cooled, 102–103
control principles
 carbon, 106
 coke bed, 106
 iron temperatures, 106
 manganese, 106
 melt rate, 106
 phosphorus, 106
 residual alloys, 106
 silicon, 106
 sulfur, 106
 tramp elements, 106
control tests/analyses
 chill test, 106
 eutectic arrest methods, 106
 mechanical tests, 106–107
 optical spectrometer equipment, 106
intermittent or continuous tapping Cupolas, 101
overview, 99
plasma-fired, 107
progressive refinements in
 basic slags, 100
 computer applications, 100
 duplex electric holders, 100
 fine coke, injection of, 100
 overview, 99
 oxygen enrichment and injection, 99–100
 preheated air blast, 99
 recuperative hot blast system, 99
 technology failures, 100
 top gases, continuous analyses of, 100
 water cooling, 100
sand bottom, 100
water-cooled, 102–103

D

Defects (common) in various casting processes
case studies
 cavities: gas porosity and shrinkage, 1200–1201, 1202
 discontinuities: hot tearing and cold shut, 1201–1202

 inclusions, 1199–1200, 1201
 international classification of common casting defects, 1192–1199
 overview, 1192

Degassing
aluminum foundry
 aluminum degassing, 186–188
 hydrogen sources, 185–186
 overview, 185, 186
copper alloys, 189–192
magnesium, 188–189
overview, 185

Dendrite growth
columnar-to-equiaxed transition, 303–304
direction, 301–302
microsegregation and secondary arm spacing, 303
model, 302–303
overview, 301

Die casting tooling
design tolerance, 737, 738
die casting dies, 734–735
die casting machines, 734, 735
heat removal
 cooling requirements, analysis of, 741–742
 heat flow, control of, 741
 overview, 740–741
molten metal delivery, 734–735
overview, 734
product design, 735–736
secondary processing, 736
tooling and metal flow
 air venting, 739
 fluid flow, interaction of, with dies and machines, 740
 metal injection, 737–739
 shrinkage, feeding of, 739–740
tooling, materials selection for
 die casting dies, materials for, 742–743
 die casting dies, wear and failure in, factors influencing, 745–746
 wear and failure modes, 743–745

Direct current arc furnace, 98

Dosing furnaces
dosing operation, controlling/monitoring, 183, 184
furnace recharging, 183–184
melt holding, 184
melt level, detection of, 183
overview, 182–183

Drip melting
cold hearth versus drip melting, 147
electron beam drip melted metals, characteristics of, 145
electron beam heat source specifications, 144
equipment for, 144–145
ingots, horizontally fed, 144
ingots, vertical feeding of, 143–144
other process considerations, 144
overview, 143

Ductile iron castings
austempered ductile iron (ADI), 856, 869, 870
compressive properties, 861–862
ductile iron, classes and grades of, 856–857
fatigue properties, 862–865
fracture toughness
 impact tests, 865–867
 overview, 865
 sharply notched specimens, fracture of, 867
hardness properties, 859
mechanical properties, factors affecting
 composition, 857–858
 microstructure, 857
 section effect, 858–859
overview, 856
physical properties
 density, 867
 thermal properties, 867–869
shear and torsional properties, 861, 862
tensile properties
 modulus of elasticity, 860–861, 862
 overview, 859–860
 tensile test, 860

E

Electric arc furnace melting
acid melting practice
 acid steelmaking, 92–94
 alloys, additions, 95
 alloys, loss of, 95
 the charge, 94
 deoxidation, 94–95
 overview, 91–92
 the oxidation, 94
alloy storage, 91
arc furnace components
 back-slagging pits, 90
 fume/dust collection, 90, 94, 95
 furnace shell, 90, 93
 ladles, 90, 95, 96
 overview, 88–89, 91, 92
 pre-heat burners, 90
 roof structure, 89–90, 92
 spout, 90, 93
 tap hole, 90, 93
 tap-out, 90
 tilt control, 90
 water-cooling system, 90
basic melting practice
 alloys, loss of, 98
 basic steelmaking, 95–97
 the charge, 97
 final deoxidation, 97–98
 overview, 95
 reducing the heat, 97
EAF steelmaking, 98
iron, arc melting of, 98
overview, 87
power factor, 88
power supply, 87–88
quality-control testing equipment, 91
scales, 91
scrap storage, 91

Electromagnetic pumps
furnace circulation and scrap recycling technology, 177
mold-filling, 177
overview, 177
types, 177–178

Electron beam melting
cold hearth melting
 cold hearth melted materials, characteristics of, 147
 cold hearth versus drip melting, 146, 147
 equipment for, 146
 overview, 145, 146
 principles of, 145–146, 147
 refining and production data, 146, 148
 superalloys, 147
drip melting
 electron beam drip melted metals, characteristics of, 145
 equipment for, 144–145
 horizontally fed ingots, 144
 other process considerations, 144
 overview, 143, 144
 vertical feeding of ingots, 143–144
overview, 142
process description
 electron beam heat source specifications, 143, 144
 overview, 142–143

Electroslag remelting (ESR)
ESR furnaces
 control parameters, 126–127
 heavy ingots, electroslag remelting of, 127–128
 overview, 125–126
ingot defects, 129
ingot solidification, 128–129
overview, 124–125
process variations
 electroslag rapid remelt, 129
 electroslag remelting under vacuum (VAC-ESR), 129
 pressure electroslag remelting, 129

1230 / Reference Information

Electroslag remelting (ESR) (continued)

steel ESR
overview, 130
oxygen, behavior of, 130
sulfur, behavior of, 130

ESR furnaces

control parameters, 126–127
heavy ingots, electroslag remelting of, 130
overview, 125–126

Eutectic alloys, solidification of

aluminum-silicon. *See* Aluminum-silicon eutectic
cast iron. *See* Cast iron: solidification of eutectic
alloys

Eutectic solidification—an introduction

binary eutectic phase diagram, 307
eutectic structures
classification of, 307–310
halos, formation of, 310–311
overview, 307
overview, 307

Expendable mold processes with expendable patterns: introduction, 637–639

Expendable mold processes with permanent patterns: introduction, 525–527

Expendable molds, aggregates and binders for ceramic shell molds

binder materials, other, 547
colloidal silica bonds, 547
ethyl silicate, 547
hybrid binders, 547
liquid sodium silicate, 547
overview, 547

foundry sands, 529, 532

green sand molding, clays for

bentonites, 536–537
clay properties, controlling, 537–538
clay-water bonds, 537
fireclay, 537
overview, 535–536

hot box processes, 543

inorganic binders

aluminate (cement)-bonded sand molds, 539
overview, 538
phosphate-bonded-sand molds, 539
sodium-silicate-bonded sand molds, 538–539

mold media, 528–529, 531

organic binders

ester-cured alkaline phenolic no-bake, 541
furan acid-catalyzed no-bake, 541
no-bake processes, 540–541
oil urethane no-bake resins, 542
overview, 539–540
phenolic acid-catalyzed no-bake, 541
phenolic urethane no-bake (PUN), 542
polyol-isocyanate system, 542–543
resin types, 540
silicate/ester-catalyzed no-bake, 541

oven-bake processes/core-oil binders

additives, 544
cold box processes, 544
core-oil, types of, 544
free radical cure (FRC) process, 545
operational considerations, 544
overview, 544
phenolic ester cold box (PECB) process, 546
phenolic urethane cold box (PUCB), 544–545
SO₂ gas, disposal of, 545–546
SO₂ process (furan/SO₂), 545

overview, 528, 529, 530

rammed graphite molds, 546–547

sands, types of

additives, 532–533
aluminum silicates, 530, 532, 534
chromite, 530
grain shape, 534–535
mold porosity and permeability, 535
mullite, manufactured from aluminum silicates, 532, 534
olivine, 532, 533
overview, 529
sand fineness, 534
sand properties, 533–534
sand quality control, 535

silica, 529–530, 532, 533, 534

zircon, 532

shell process (Croning process)
cores and molds, producing, 543
novolac shell-molding system, 543
overview, 543
warm box binders, 543
warm box catalysts, 543–544

F

Feeding system concepts. *See* Filling and feeding system concepts

Ferrous alloys, inclusions in steels

complex inclusions, 79–80
exogenous inclusions, 80
nitrides, 80
oxides, 77–78
sulfides, 78–79

Filling and feeding system concepts

alternative filling systems, performance of, 511–512
entrainment defects in gravity-poured castings, 506
filters, 511
foundry practice, recommended, 512
naturally pressurized filling system
feeding, 510–511
gates, 510
offset pouring basin, 508
overview, 508
runner, 509–510
sprue, 509
sprue/runner junction, 509
overview, 506
prepriming techniques, 507–508
traditional filling designs, 506–507

Fluidity

factors influencing, 375–376
fluidity measurements, 376
modeling of, 376
overview, 375

Fluxes

calcium carbide (CaC₂), 105–106
cleaning, 234–235
cover, 234
Cupola furnaces, 105–106
drossing, 234, 235
fluorspar (CaF₂), 105
furnace wall-cleaning, 235
limestone, 105
overview, 233–234
soda ash (Na₂CO₃), 105

Fluxing applications

crucible furnaces, 237
holding/ casting furnaces, 238
other considerations, 238
reverberatory furnaces, 237–238
transfer ladles, 237–238

Fluxing practice. *See* Aluminum fluxes and fluxing practice

Foundry practices. *See* Cast iron foundry practices

G

Gas porosity

formation
heterogeneous nucleation, 373
homogeneous nucleation, 373
formation, factors affecting
alloy composition, 374
cooling conditions, 374
dissolved gases in the melt, 373–374
external pressure, 374
gases in metal, 372
overcoming, 73
overview, 370, 372
solidification, gas evolution during, 372–373

Gases in metals

aluminum and its alloys, 67–70
cast iron, 64–67

copper and its alloys, 70–71
gas porosity, overcoming, 73
magnesium and its alloys, 71–73
overview, 64

Gibbs free energy

activity and condensed phase equilibrium, 32–33
activity coefficient data, tabulations of, 33
activity coefficients—departure from ideality, 33
conditions for free equilibrium, 31–32
equilibrium constant, 32
thermodynamic data, tabulation of, 32

Gircast process, 1054, 1055

Gray iron castings

alloying to modify as-cast properties, 851, 854
applications, 835
castability, 835–836
classes of, 835
dimensional stability, 849–850, 851
elevated-temperature properties, 849, 850
heat treatment
hardenability, 852
localized hardening, 853
mechanical properties, 852–853
overview, 851–852
impact resistance, 846
machinability
adhering sand, 846
annealing, 847–848
chill, 846
overview, 846
rating, 847, 848
shifted castings, 847
shrinks, 847
swells, 847
microstructure
flake graphite, 836
gray iron, solidification of, 836, 837
overview, 836
room temperature structure, 837
overview, 835
physical properties
coefficient of thermal expansion, 853
damping capacity, 854
density, 854
electrical properties, 854
overview, 853
thermal conductivity, 854
pressure tightness, 844–846
prevailing sections, 838–839
properties
compressive strength, 841–842, 843
elasticity and deformation, 842, 843, 844, 845
hardness, 842–843
modulus of elasticity, 842, 845, 846
tensile strength, 841–842
torsional shear strength, 843
reversed bending, fatigue limit in, 843–844, 847
section sensitivity, 837–838
shakeout practice, effect of, 850–851
specifications, 840–841
test bar properties, 839–840
wear, 848
wear, resistance to, 848–849

Green sand molding

clays for
bentonites, 536–537
clay properties, controlling, 537–538
clay-water bonds, 537
fireclay, 537
overview, 535–536
first-generation machines
jolt-squeeze molding machines, 555
jolt-type, 554–555
sand slinger molding machines, 555
green sand media preparation
batch-type muller, 558–559
continuous muller, 558
intensive mixer, 559
mixing variables, 559–560
overview, 558
mold finishing
core setting, 560–561
mold blowoff, 560

- mold, transportation of, 561
- overview, 560
- mold types, flask/flaskless, 554
- molding equipment, influence of, 552–553
- molding methods, other related
 - dry sand molding, 557–558
 - loam molding, 558
 - skin-dried molding, 557
- molding problems
 - expansion defects, 560
 - overview, 560
 - parting sprays, 560
 - pattern heating, 560
 - springback, 560
- overview, 549
- sand/casting recovery
 - cooling devices, 562–563
 - high sand temperatures, 562–563
 - metal separation and screening, 564
 - overview, 562
- sand molding
 - metal contraction, 549–550
 - metal variables, 550–551
 - mold influences, 550
 - overview, 549, 550
 - patterns, 551
- sand reclamation
 - base sands, reclamation effects on, 565, 566
 - dry scrubbing/attrition, 564
 - multiple-hearth furnace/vertical shaft furnace, 565
 - overview, 564
 - thermal-calcining/thermal-dry scrubbing combinations, 564–565
 - wet washing/scrubbing, 564
- sand system quality, maintaining
 - overview, 553
 - sand system testing, 553–554
- second-generation machines
 - cope and drag, 556
 - horizontal flaskless molding machines, 556–557
 - match plate pattern, 556
 - overview, 556
 - pressure wave method, 556
 - rap-jolt, 556
 - vertically parted molding machines, 557
- shakeout
 - deck-type, 561
 - overview, 561
 - rotary plus cooling type, 561–562
 - rotary-type, 561
 - vibrating conveyors, 561
 - vibrating drum type shakeouts, 562
- system control and formulation
 - additives, 552
 - clays, 552
 - overview, 551–552
 - sands, 552
 - water, 552

H

Halos, 310–311

Hazlett casting process, 1023–1024

Heat treatment

- aging
 - artificial aging, 406
 - natural aging, 406
 - overview, 405–406
- cast alloys, microstructural changes due to heat treatment of
 - dissolution, 406–407
 - overview, 406
 - precipitation, 407
 - spheroidization, 407
- designations of, 404
- emerging heat treatment technologies, 406
- overview, 404
- quenching, 405
- solution heat treatment, 404–405

High-alloy graphitic irons

- austenitic nickel-alloyed gray and ductile irons
- aluminum-alloyed irons, 906–907

- applications, 906
- austenitic ductile irons, 906–907
- austenitic gray irons, 906
- corrosion resistance, high-silicon irons for, 907–908
- high-temperature service, high-silicon irons for
 - high-silicon ductile irons, 904–906
 - high-silicon gray irons, 904
- overview, 904

High-alloy heat treatment

- corrosion resistant applications
 - austenitic-ferritic grades, 972–973
 - austenitic grades, 972
 - duplex alloys, 973
 - ferritic grades, 972
 - martensitic grades, 972
 - precipitation-hardening alloys, 973
- ferritic and austenitic alloys, 971
- heat-resistant applications
 - iron-chromium alloys, 973
 - iron-chromium-nickel alloys, 973
 - iron-nickel-chromium alloys, 973
- homogenization, 971
- martensitic alloys, 971–972
- overview, 971
- precipitation-hardening alloys, 972

High-chromium white irons

- applications, 903
- classes of, 899
- desired structures, selecting compositions to obtain, 900
- heat treatment
 - annealing, 902
 - austenitization, 902
 - overview, 901–902
 - quenching, 902
 - subcritical heat treatment, 902
 - tempering, 902
- machining, 902–903
- melting practice, 900–901
- microstructures
 - as-cast austenite, 900
 - as-cast martensitic, 900
 - carbide, 899
 - heat treated martensitic, 900
- molds, patterns, and casting design, 901
- overview, 899
- pouring practices, 901
- shakeout practices, 901
- special high-chromium iron alloys
 - corrosion resistance, irons for, 903
 - high-temperature service, irons for, 903

High-pressure die casting

- advantages of, 716
- alloys and processes
 - cold chamber, 715
 - high-integrity, 715–716
 - hot chamber, 715
 - overview, 715
- disadvantages of, 717
- metal injection, 717–718
- overview, 715
- process, product design for, 717

High-pressure die casting (HPDC), automation in

- automatic pouring
 - dosing feeding system, 748–749, 750
 - overview, 748
 - robotic ladling system, 748, 749
- automatic spray
 - overview, 754–755
 - spray head design, 755
 - spray nozzle technologies development, 755
 - spray strategy, 755
- casting extraction, 753
- die casting cycle
 - high-pressure die casting automation, 748
 - overview, 747–748
- die casting internal quality check automation
 - automatic defect recognition system, 757
 - in-line x-ray radiographic inspection, 757
 - overview, 757

- radiography, automated loading and unloading for, 757
- finish automation
 - automatic finishing integrates with vision system, 756–757
 - automatic flash removal, 756
 - overview, 755–756
- gripper design, 754
- injection process
 - die casting shot process monitoring system, 749–750
 - in-line sorting and monitoring, 750
 - off-line automatic statistical process control analysis and monitoring, 750–751
 - overview, 749
- insert loading, 753–754
- insert loading and extraction, combination, 754
- overview, 745–746
- solidification and heat removal
 - die internal heat-removal management, 751–752
 - overview, 751
 - temperature control zone, 753

Homogenization

- characterization methods, 402–403
- computational modeling, 403
- homogenization treatment, benefits of, 402
- inhomogeneity, sources of, 402
- overview, 402

Horizontal centrifugal casting

- applications
 - bimetallic tubes, 679
 - chromium-molybdenum alloy steel tubes, 679
 - duplex stainless steel tubes, 679
 - high-strength low-alloy steels, 678–679
 - overview, 678
- casting process
 - babbling, 676–678
 - casting temperatures, 675–676
 - mold temperature, 676
 - pouring, 675
 - rotation, speed of, 676
 - solidification, transport phenomena during, 676–677
- equipment
 - double-face plate machines, 675
 - flanged shaft machine, 674–675
 - molds and cores, production of, 675
 - overview, 674
 - roller-type machines, 674–675
 - overview, 674

Hot chamber die casting

- ejection and postprocessing
 - fluxing, 723
 - recycling, 722–723
 - robotics, 722
- gate and runner design, 721
- hot and cold chamber processes, distinctions between, 720–721
- injection components
 - casting machines, 720
 - injection cycle, 720
 - overview, 719–720
 - pressure differential (ΔP) and mold filling, 720
- melting process, 719
- overview, 719
- temperature control, 721–722

Hot isostatic pressing (HIP)

- as-HIPed properties, effect of inclusions on, 412–413
- castings, effect of HIP on shape and structure of
 - microstructural/physical changes, other, 413–414
 - volumetric shrinkage and distortion, 413
- economics of, 415
- HIP system, overview of
 - conditions, selecting, 410, 411
 - HIP cycle, 409–410
 - introduction, 409, 410
 - pore closure, mechanisms of, 411
- history of, 408–409
- mechanical properties, effect on, 411–412, 413
- overview, 408
- problems encountered in
 - surface-connected porosity, 414, 415

1232 / Reference Information

Hot isostatic pressing (HIP) (continued)

thermally induced porosity, 414–415
reasons for using, 408–409

Hot tearing

alloy dependence, 376–377
criteria, 377
modeling of, 377
overview, 376
tests, 377

Hypereutectic aluminum-silicon alloys, refinement of the primary silicon phase in

overview, 263
primary silicon refinement, accomplishing
 eutectic modification, compatibility issues, 265
 loss of refinement over time, 265
 overview, 263–264
 phosphorus, sources of, 264
 solidification rate, effect of, 264–265
primary silicon refinement, importance of, 263
refinement versus modification, 263

Inclusion-forming reactions

copper alloys, 82
exogenous inclusions, 74
ferrous alloys, inclusions in, 77–80
inclusions, control of
 chemistry control, 76
 gating methods, 76–77
 inclusion shape control, 77, 78
 mold/metal interface and refractory control, 76
 separation techniques, 76
inclusions, defined, 74
indigenous inclusions, 74–75
magnesium alloys, 82
nonferrous alloys, 81–82
overview, 74
physical chemistry
 kinetics, 75–76
 phase equilibria, 75, 80–81
 thermochemistry, 75

Induction furnaces

electromagnetic stirring, 109, 110
lining material
 alumina, 111
 crucible wall scrapers, 111–112
 lining push-out device, 113
 magnesia, 111
 overview, 111, 112
 ramming mixes, 112
melting operations
 batch, 113
 mechanical skimmers, 114, 115
 overview, 113
 tap-and-charge, 113
 utilization, 113–115
overview, 108
power supplies
 60Hz line frequency, 109–110
 medium frequency, 110, 111
 parallel inverters, 110
 series inverters, 110
 systems, packaging of, 110–111
types of
 channel furnace, 108
 coreless, 109
 overview, 108, 109
 water cooling systems, 111, 112

Investment casting

ceramic shell mold assembly. *See* Ceramic shell mold assembly
cluster design, 650–651
overview, 646, 647
pattern assembly, 650
pattern materials
 additives, 647
 fillers, 647–648
 other, 648
 overview, 647
 plastics, 648
 wax selection, 648

waxes, 646–647
pattern tooling for
 cast tooling, 650
 machined tooling, 649–650
 overview, 649
 positive model, tooling made against, 650
patterning
 overview, 648–649
 patterns, machining of, 649
 plastic patterns, injection of, 649
 wax patterns, injection of, 649

Iron, arc melting of, 98

Iron-base alloys, thermodynamic properties of

ferrous metals, purification of
 deoxidation, 43–45
 desulfurization, requirements of, 41–43
 overview, 41
ferrous systems, thermodynamics of
 iron-carbon system, 45–46
 iron-silicon system, 46
 ternary Fe-C-X systems, 47–50
 ternary iron-base alloys, 46–47
multicomponent iron-carbon systems
 carbon solubility in, 50
 saturation degree and carbon equivalent, 50–51
overview, 41
structural diagrams, 51–55

L

Ladle metallurgy

injection methods, 217–218
ladle degassing
 overview, 219
 recirculating degassing methods, 220
 stream degassing methods, 219–220
 vacuum ladle degassing processes, 220
ladle furnace and vacuum arc degassing (LF/VD-VAD), 222
ladle furnace design, 223, 225, 226
 overview, 222–223, 224
 vacuum induction degassing (VID), 224, 228–229

metallurgical objectives

alloying, 214
argon stirring (argon rinsing), 216–217
CAB process, 217
CAS process, 217
decarburization, 215
degassing, 213–214
deoxidizing, 214
desulfurization, 214–215
 overview, 213
 phosphorus control, 216
 sulfur control, 215–216
overview, 212–213, 215, 216
vacuum ladle degassing (VD), 220–222
 overview, 224
 stirring procedures, 221
 vacuum oxygen decarburization (VODC), 221–222
vacuum treatments, 212

Launder, 174

Light alloy melts, dross, melt loss, and fluxing of

dross, economic implications of, 998
dross formation, 992–993
dross formation, ways to reduce, 1000
dross generation, influence of melter type on, 993–994
dross metallics, in-plant enhancement or recovery of
 Dross Boss (Q.C. Designs, Inc.), 999–1000
 dross buggy, 999
 dross coolers, 998
 dross presses, 998–999
 overview, 998
melt loss, influence of charge materials on, 994
melt loss, influence of operating practices on
 furnace fluxing, 995–997
 metal transfer, drosses generated in, 997–998
 overview, 994–995
overview, 992

Lost foam casting

advantages of, 645
casting quality
 dimensional tolerances, 645
 folds, 645
 overview, 640
process technique, 640–642
processing parameters
 coating, application, 643–644
 coating types, 643, 645
 foam pattern, 642, 643
 investing the foam pattern in sand, 644
 pattern assembly, 642–643, 644
 pattern molding, 642, 643
 pouring, 644–645
 sand system, 644

Low-pressure countergravity casting

mold filling
 countergravity centrifugal casting (C^3)
 process, 711
 countergravity low-pressure air (CLA)
 process, 709–710
 countergravity low-pressure inert atmosphere (CLI) process, 710
 countergravity low-pressure vacuum (CLV)
 process, 711
 countergravity pressure vacuum (CPV) process, 710, 711
 loose sand vacuum (LSVAC) process, 710–711
 supported shell (mold) process, 710, 711
overview, 709

Low-pressure metal casting

conventional low-pressure casting, 700–704
cores, 703–704
counterpressure casting
 advantages of, 705–706
 counterpressure casting cycle steps, 704–705
 history of, 704
 overview, 704
 PCP operations, special considerations for, 706
 pressure differential (ΔP) and mold filling, 704
low-pressure furnace, 702–703
low-pressure tooling, 703
overview, 700
vacuum riserless/pressure riserless casting, 706–707

M

Macrosegregation

flow of the liquid, induced by the
 buoyancy-driven flow, 350, 351
 channel segregation, 350–351, 352
 inverse segregation, 349
 nonuniform shrinkage flow, 349–350
 overview, 348–349
movement of the solid, induced by, 351–352
overview, 348

Macrosegregation, continuum model of

continuity equation, 446
energy, conservation of, 447
example simulation of, 447, 448
momentum equation, 446
pressure, calculation of, 447
solute conservation equation, 446–447

Magnesium and its alloys, gases in

magnesium alloys, degassing, 72–73
overview, 71
porosity in, 72
solidification, hydrogen solubility and reactions during, 71–72

Magnesium and magnesium alloys

die casting
 casting defects, 1111–1112
 casting finish, 1111
 design parameters, 1111
 die temperature, 1110
 dies, 1110
 fluxless melting parameters, 1111
 lubrication, 1110
 machines, 1110
 melt composition, control of, 1110
 overview, 1109–1110

- recycling, 1110–1111
- tolerances, 1111
- direct chill casting, 1112
- general applications, 1102
- high-temperature alloys, 1112
- investment casting, 1109
- magnesium alloys
 - die casting, 1101
 - overview, 1100, 1101
 - permanent mold casting, 1101
 - sand casting, 1100–1101
 - thixomolding, 1101–1102
- melting furnaces and auxiliary pouring equipment, 1102–1103
- melting procedures and process parameters
 - alloying, 1104–1105
 - flux process, 1103
 - fluxless process, 1103–1104
 - foundry control procedures, 1105
 - gas content and grain size, 1105
 - grain refinement, 1104
 - melt treatments, 1105
 - pouring, 1105
 - pouring methods, 1105
 - pressure sand casting, 1105–1106
 - sand casting, 1106
- overview, 1100
- permanent mold casting, 1109
- sand casting
 - applications, current, 1109
 - chills, 1108
 - coremaking procedures, 1107–1108
 - gating practices, 1108
 - green sand molding, advantages/disadvantages of, 1106–1107
 - molding sands, 1106
 - overview, 1106
 - risers, 1108
 - shakeout, 1108
 - shrinkage allowances, 1108
 - welding, 1112
- Malleable iron castings**
 - applications, 888, 889, 890
 - composition, 884
 - ferritic malleable iron, 889–890, 891, 892, 893
 - martensitic malleable iron, 890–892, 893, 894, 895
 - melting practices, 884–885
 - microstructure
 - annealing, control of, 886–887
 - nodule count, control of, 885–886
 - overview, 885
 - overview, 884
 - pearlitic malleable iron, 890–892, 893, 894, 895
 - production technologies, current
 - digital solidification analysis technology, 887
 - production costs, effect on, 888
 - simulation technologies, 887, 888
 - smart engineering, 888
- Mechanical skimmers**, 114, 115
- MEPHISTO**
 - advanced gradient heating facility (AGHF), 399
 - overview, 399
- Metal casting**
 - history of, 4–6
 - 20th century, 6–8
 - overview, 3–4
 - methods, 8–9
 - trends
 - market, 14
 - production trends, 9–10
 - production trends (1995–2005), 10–14
- Metal-matrix composites (MMCs)**
 - nanocomposites, 395
 - overview, 389–390
 - particle-pushing phenomenon, modeling of
 - dendrite and particle interaction, 394
 - nanoparticles and solidification front interactions, 394–395
 - overview, 394
 - reinforcement-metal wettability, 391
 - reinforcements, incorporation of, 391
 - solidification fundamentals
 - dendrite formation and microsegregation, 392–393, 394
 - nucleation and growth effects, 392
 - reinforcements, distribution of, 393–394, 395
 - solidification processing of
 - infiltration process, 392
 - stir mixing, 391–392
- Metal quality, approaches to measurement of**
 - metal cleanliness assessment techniques
 - chemical analysis, 1167–1168
 - closed-loop circulation, 1171, 1172
 - electric resistivity tests, 1170
 - pressure filter tests, 1168–1169, 1170
 - reduced-pressure test (RPT), 1171–1172
 - ultrasonic technique, 1173
 - overview, 1167
- Metacasting technology and purchasing process**
 - contract fulfillment and continuous improvement, 22
 - contract terms, negotiate, 22, 23
 - define requirements, 17
 - metal castings, considerations in, 22, 24–28
 - additional operations, 26
 - cast surface finish, 25–26
 - dimensional allowances, 24–25
 - geometric complexity, 24
 - lead time and first article delivery, 26
 - metal type, 24
 - order quantity, 26
 - price quotations, types of, 26
 - production cost factors, 24
 - quality assurance and specifications, 26–27
 - quality-management systems, 28
 - specifications, types of, 27
 - standard specifications, 27
 - technical services, 26
 - tolerances, 25
 - overview, 16
 - purchasing plan, 17
 - deliverables expected, 19
 - purchasing objective, 17
 - purchasing strategy, 17, 19
 - purchasing tasks, responsibilities, and schedule, 20–21
 - selection criteria, 19–20
 - working relationships requirements, 19
 - purchasing process, 16
 - quotation, request, 16
 - requesting and evaluating quotations/bids
 - bid package, send out, 22
 - good relationships, maintaining, 21–22
 - grade and rank bids/quotations, 22
 - locate/identify suitable facilities, 21
 - quotations, review, 22
 - supplier, select, 22
 - terms and conditions for sale in metacasting industry, 22
- Microgravity, solidification research in**
 - key solidification experiments
 - MEPHISTO, 399
 - TEMPUS, 399–400
 - microgravity solidification, future of, 400
 - overview, 398
 - reduced gravity, availability of: past, present, future, 398–399
 - solidification research, 399
- Microsegregation**
 - binary eutectic systems: hypoeutectic aluminum-silicon alloys, 344
 - binary isomorphous systems, $k > 1$: hypoeutectic aluminum-copper alloys
 - as-cast microsegregation, measurement of, 342, 343
 - dendrite coarsening, 341
 - density and solidification shrinkage, influence of
 - microsegregation and partitioning on, 341
 - kinetic processes leading to microsegregation, observation and measurement of, 342–343, 344
 - local cooling rate, influence of, 341
 - microsegregation and macrosegregation, interaction of, 341–342
 - nonequilibrium solidification with back diffusion—directional solidification, 340–341
 - overview, 340
 - solidification curve, 340
 - solute distribution curve, 340
 - thermal analysis, 344
 - binary isomorphous systems, $k > 1$: titanium-molybdenum, 339–340
 - binary peritectic systems: copper-zinc α -brass, 344
 - multicomponent, multiphase, eutectic systems:
 - hypoeutectic Al-Si-Cu-Mg alloys, 345
 - multicomponent, multiphase, nickel-base superalloy, 345–346
 - multicomponent multiphase steel: Fe-C-Cr, 345
 - overview, 338
 - solidification models
 - equilibrium solidification, 338
 - nonequilibrium solidification, the Gulliver-Scheil relation, 339
 - nonequilibrium solidification with back diffusion, 339
 - overview, 338
 - partition ratio, 338
- Microsegregation, modeling of**
 - with diffusion in the solid
 - example simulation of, 445–446
 - overview, 445
 - microsegregation, 445
- Modeling, stress, distortion, and hot tearing**
 - example applications
 - continuous casting of steel slabs, 455, 456, 457
 - sand casting of braking disks, 454, 455
 - governing equations
 - compatibility, 449
 - equilibrium, 449
 - implementation issues, 450–451
 - liquid-state constitutive models, 449–450
 - mushy-state constitutive models, 450
 - overview, 449
 - solid-state constitutive equations, example of, 451
 - solid-state constitutive models, 450
 - hot tearing analysis
 - case study: billet casting of speed optimization, 457–458, 459
 - classical mechanics criteria, 457
 - mechanically based criteria, 457
 - overview, 456
 - thermal analysis criteria, 456–457
 - model validation, 453–454
 - numerical solution
 - boundary conditions: modeling of contact conditions. multidomain approaches, 452–453
 - finite element formulation and numerical implementation, 452
 - mushy and liquid regions: ALE modeling, 453
 - overview, 451–452
 - solidified regions: Lagrangian formulation, 453
 - thermomechanical coupling, 453
 - overview, 449
 - thermomechanical coupling
 - air gap formation: conductive-radiative modeling, 451
 - effective contact: heat transfer as a function of contact pressure, 451
 - overview, 451, 452
- Molten-metal filtration**
 - filter characteristics, 197–199
 - filtered metal quality, 204–205
 - filters, types of
 - bonded-particle, 199
 - cartridge, 199
 - ceramic foam, 199
 - fiberglass, 199
 - metal, 199
 - in-mold filtration
 - direct pouring, 200–201
 - examples, 201
 - mold casting, filter selection and application in, 200
 - overview, 199
 - sand gating, filter selection and application in, 199–200
 - inclusions, removal of
 - overview, 196
 - positive filtration, 196–197

1234 / Reference Information

Molten-metal filtration (continued)

- inclusions, sources of
 - aluminum inclusions, 194–195
 - magnesium alloys, inclusions in, 195–196
 - overview, 194
- molten aluminum, in-furnace filtration of
 - filter life, determining factors, 203–204
 - in-furnace filter installation, 203
 - in-furnace filter types, 201–203
 - overview, 201
- overview, 194
- Molten metal, transfer and treatment of—an introduction**
 - dosing furnaces
 - dosing operation, controlling/monitoring, 183, 184
 - furnace recharging, 183–184
 - melt holding, 184
 - melt level, detection of, 183
 - overview, 182–183
 - electromagnetic pumps
 - for furnace circulation and scrap recycling technology, 177
 - mold-filling, 177
 - overview, 177
 - types, 177–178
 - handling systems, 173
 - launders, 174
 - molten-metal pumps
 - mechanical, 175–177
 - overview, 175
 - molten-steel filters, 175
 - pouring, 178–179
 - pouring methods, 182
 - automatic, 180–181
 - pouring, controls of, 181–182
 - pouring ladles, 179–180
 - treatments, 173
 - tundishes, 174–175

N

Nickel and nickel alloy castings

- applications, specific, 1126
- compositions
 - cast nickel, 1119–1120
 - cast nickel-chromium-molybdenum alloys, 1120
 - cast nickel-copper alloys, 1120
 - cast nickel-molybdenum alloys, 1120
 - directionally solidified and single-crystal alloys, 1121
 - heat-resistant alloys, 1120–1121
 - nickel-base proprietary alloys, 1120
 - nickel-chromium-iron alloys, 1120
- foundry practice, 1124
- gating systems, 1124–1125
- heat treatment, 1125–1126
- melting practice and metal treatment
 - argon-oxygen decarburization (AOD), 1124
 - coreless induction furnaces, 1123–1124
 - ladle furnaces, 1124
 - vacuum melting, 1124
- overview, 1119, 1120
- pouring practice, 1124
- risers, 1125
- structure and property correlations
 - cast nickel, 1121
 - directional and single-crystal solidification, alloys for, 1123
 - heat-resistant alloys, 1122–1123
 - nickel-chromium-iron alloys, 1121, 1122
 - nickel-chromium-molybdenum alloys, 1121, 1122
 - nickel-copper alloys, 1121, 1122
 - nickel-molybdenum alloys, 1121–1122
- welding, 1125
- Nickel-chromium white irons**
 - applications, 899
 - composition control, 897–898
 - heat treatment, 898–899
 - machining, 899
 - melting practice, 897

- molds, patterns, and casting design, 898
- overview, 896
- pouring practices, 898
- shakeout practices, 898
- No-bake sand molding**
 - air-setting organic binders
 - alkyd oil, 574–575
 - furan nobake, 574
 - overview, 573–574
 - phenolic nobake, 574
 - phenolic urethanes, 575–576
 - air-setting sodium silicates
 - dicalcium silicates (slag/cement hardeners), 572–573
 - ferro-silicon (Nishiyama process), 573
 - overview, 572
 - silicate organic esters, 573
 - CO₂-cured sodium silicate
 - applications, 569–570
 - overview, 569
 - procedures, 572
 - sand-silicate mixtures, 570–572
 - gas-cured organic binders
 - acrylic-epoxy-SO₂ system, 577
 - overview, 576
 - phenolic urethane-amine system, 576–577
 - no-bake sand processing
 - mixers, 568
 - molds and cores, sand processing for, 568
 - no-bake sands, foundry control tests of, 568–569
 - refractory coatings for chemically bonded sands, 567–568
 - overview, 567
 - sand reclamation and reuse
 - dry reclamation systems, 578–579
 - overview, 577–578
 - thermal reclamation, 579–580
 - wet reclamation systems, 578
- No-bond sand molding**
 - magnetic molding, 628
 - overview, 628
 - vacuum (V-process) molding
 - advantages, 629–630
 - overview, 628–629
 - V-process description, 629–630, 631, 632, 633
- Non-plane front solidification**
 - cellular microstructures
 - high-velocity cells, 301
 - microsegregation, 301
 - overview, 300
 - scaling behavior of, 300
 - columnar and equiaxed microstructures, 299
 - columnar microstructures, 299
 - dendrite growth. *See* Dendrite growth
 - equiaxed microstructures, 299
 - microstructures, characteristic lengths of, 300
 - nonplanar eutectic growth, 304–305
 - overview, 299
 - processing conditions, microstructure and, 299–300
- Nondestructive testing of components**
 - automated defect recognition (ADR) program, 1174
 - eddy current inspection, 1175
 - electrical conductivity measurement, 1177
 - fluoroscopic inspection, 1174, 1175
 - leak test, 1177
 - liquid penetrant inspection, 1174
 - overview, 1174
 - process-controlled resonant testing (PRCT), 1175–1177
 - radiographic inspection, 1174
 - ultrasonic inspection, 1174–1175
- Nonferrous alloys, inclusions in**
 - aluminum alloys
 - other inclusion types, 82
 - oxides, 81
- Nonferrous casting—an introduction**
 - lead, 991
 - nickel alloys, 989
 - overview, 989
 - titanium alloys, 989–990
- Nonplanar eutectic growth**, 304–305
- Nucleation kinetics and grain refinement**
 - grain refinement models

- carbide-boride model, 281–282
- constitutional undercooling model, 283–284, 285
- free-growth model, 282–283
- overview, 281
- peritectic reaction theory, 282
- inoculation practice, 280–281
- master alloy processing
 - overview, 285
 - thermal analysis techniques, 285–286
- nucleation phenomena
 - heterogeneous nucleation, 279, 280
 - homogeneous nucleation, 278–279
 - overview, 278
 - rapid solidification, 279–280
- overview, 276
- solidification, thermodynamics of
 - macroscopic solids, 276–277
 - microscopic solids, 277–278

O

- Ohno continuous casting process**, 1024
- Autokumpu upcasting method**, 1022
- Oxide film defect. *See* Bifilm, the**

P

Patterns and patternmaking

- core boxes, 489–490
- design and manufacture, trends in
 - direct CNC manufacture, 495, 496
 - overview, 495
 - pattern and casting dimensions, verification of, 495
- expandable patterns and dies, tooling for, 490
- materials
 - machined plastic patterns, 493
 - metal pattern equipment, 492–493
 - overview, 492
 - pattern coatings, 493–494
 - pattern handling and storage, 494
 - pattern repair and rebuilding, 494
 - plastic pattern equipment, 493
 - solid replication plastic patterns, 493
 - wood, 492
- overview, 488
- pattern allowances
 - distortion allowances, 492
 - draft allowance, 491
 - machining allowance, 491–492
 - shrinking allowance, 491
- pattern type, selection of
 - overview, 494, 495
 - tolerances, 494–495
- patterns, additional features of
 - core prints, 491
 - gates and risers (rigging), 490–491
 - locating points, 491
 - parting line, 490
- patterns, types
 - cope and drag, 489
 - core boxes, 489–490
 - loose, 488
 - of match plate, 488–489
 - overview, 488
 - special, 489
- Patterns and tooling**
 - alterations, 1214–1215
 - common failure mechanisms, 1213
 - maintenance interval, 1210–1214
 - maintenance of, 1213
 - maintenance records, 1214
 - maintenance responsibility, 1213
 - ownership, 1213
 - preventive maintenance program, 1214
 - repair, 1214
 - storage—physical protection, cataloging, and tracking, 1215
- Peritectic solidification**
 - iron-carbon system, 333, 334, 335
 - multicomponent systems, peritectic transformation in, 335–336

- overview, 330
 - peritectic cascades, 334, 335
 - peritectic reaction, 331–332
 - peritectic solidification, 330–331
 - peritectic transformation and direct precipitation, 332–333
 - phase diagrams, 330
 - primary metastable precipitation of beta, 334, 335
 - Permanent mold casting**
 - advantages and disadvantages, 690–691
 - applications, 691
 - casting design, 691–692
 - dimensional accuracy, 698–699
 - gravity casting methods
 - automatic tilt pouring, 690, 691
 - semiautomatic devices, 690
 - mold coatings
 - application, 695
 - coating life, 696
 - families of, 695
 - release, 696–697
 - surface preparation, 695–696
 - surface quality, 696
 - mold design
 - mold wall thickness, 692
 - multiple-cavity molds, 692
 - overview, 692
 - venting, 692–693
 - mold life, 697
 - mold materials
 - casting ejection, 694
 - collapsible cores, 694
 - cored holes, 693–694
 - cores, 693
 - design tools, 694–695
 - directional solidification, 695
 - filters, 694, 695
 - gating and riser system, 694
 - overview, 693
 - sand or plaster cores, 693
 - mold temperature, 697–698
 - mold temperature, control of, 698
 - overview, 689
 - surface finish, 699
 - Phase diagrams and thermodynamics**
 - overview, 269
 - phase diagrams
 - metastable phase diagrams, 271–272
 - overview, 271
 - phase diagrams and solidification, calculation of, 272–273
 - solidification, 272–273
 - thermodynamics, 269–271
 - Plane front solidification**
 - morphological stability
 - constitutional undercooling, 295
 - perturbation analysis, 295–296
 - overview, 293
 - rapid solidification effects
 - absolute stability, 296
 - oscillatory instability, 297
 - solute trapping, 296–297
 - science, 293–294
 - solidification microstructure selection maps, 297, 298
 - technology, 293
 - transients and steady state
 - final transient, 294–295
 - initial transient, 294
 - overview, 294
 - steady state, 294
 - Planning tools and procedures**
 - Advanced Quality Product Planning (APQP)
 - control planning, 1210
 - design failure mode and effects analysis (DFMEA), 1208
 - failure mode and effects analysis (FMEA), 1208
 - lean tools, 1211
 - measurement system analysis (MSA), 1210–1211
 - overview, 1207, 1208
 - process failure mode and effects analysis (PFMEA), 1208–1210
 - production viability, 1211
 - Six Sigma, 1211–1212
 - statistical process control (SPC), 1211
 - overview, 1207
 - Plasma heating. See Plasma melting and heating**
 - Plasma melting and heating**
 - atmosphere control, 151
 - furnace equipment, 151
 - melting processes
 - overview, 151, 152
 - plasma arc remelting, 152, 153
 - plasma cold crucible casting, 153–154
 - plasma cold hearth melting, 152–153, 154
 - plasma consolidation, 151, 152, 153
 - overview, 149
 - plasma torches
 - overview, 149
 - transferred arc plasma torches, 149–150, 151
 - Plasma torches, 149–150, 151**
 - Primary silicon phase in hypereutectic aluminum-silicon alloys, refinement of the**
 - overview, 263
 - primary silicon refinement, accomplishing
 - eutectic modification, compatibility issues, 265
 - loss of refinement over time, 265
 - overview, 263–264
 - phosphorus, sources of, 264
 - solidification rate, effect of, 264–265
 - primary silicon refinement, importance of, 263
 - refinement versus modification, 263
 - Properzi wheel casting technology, 1024**
 - Purchasing process (metacasting technology). See Metalcasting technology and purchasing process**
- R**
- Rapid solidification**
 - diffusional kinetics/microsegregation
 - cellular growth, 389
 - dendritic growth, 389
 - eutectic growth, 389
 - morphological stability, 388–389
 - heat flow
 - external heat sinks, 387
 - internal heat sinks, 387
 - overview, 386–387
 - microstructural modification
 - microsegregation, 386
 - new primary/secondary phase, 386
 - noncrystalline phases, formation of, 386
 - primary phase, change in, 386
 - overview, 386
 - thermodynamic constraints/liquid-solid interface
 - conditions
 - full diffusional (global) equilibrium, 387
 - interfacial nonequilibrium, 388
 - local interfacial equilibrium, 387
 - metastable local interfacial equilibrium, 387–388
 - overview, 387
 - Rautomead upwards vertical casting, 1022**
 - Repair welding of castings**
 - ferrous castings
 - cast stainless steels, 1203
 - cast steels, 1203
 - casting defects, removing, 1204
 - deposition rates, 1205
 - gray and ductile cast iron, 1203
 - heating/cooling rates, control of, 1204–1205
 - joint selection, 1204
 - postweld heat treatment (PWHT), 1205
 - surface preparation, 1204
 - weld metal properties, 1204
 - weld repair considerations and techniques, 1203–1204
 - weld repair processes, 1203
 - weld repair quality, verification of, 1205
 - welding processes, other, 1203
 - nonferrous castings, repair welding of
 - filler metal selection, 1205
 - overview, 1205
 - postweld heat treatment (PWHT), 1206
 - weld repair considerations, 1205–1206
 - weld repair process selection, 1205
 - weld repair quality, verification of, 1206
 - overview, 1203
 - Replicast molding. See Replicast process**
 - Replicast process**
 - overview, 662
 - process capabilities
 - dimensional accuracy, 663–664
 - overview, 663
 - process details
 - ceramic coating, 663
 - cleaning, 663
 - firing, 663
 - overview, 662, 663
 - pattern assembly, 663
 - pattern production, 662–663, 664
 - pouring, 663
 - Reverberatory and stack furnaces**
 - furnace types
 - dry hearth reverberatory furnace, 161–162
 - overview, 161
 - stack melters, 162–163
 - wet bath reverberatory furnaces, 162
 - molten metal circulation
 - forced circulation, benefits of, 165–167
 - molten aluminum circulation methods, 167–168
 - overview, 165
 - overview, 160–161
 - reverberatory furnace practice
 - fixed-heat losses, reducing, 164
 - furnace efficiencies, improving and maintaining, 164–165
 - radiant heating factors, 163
 - recuperation, 163–164
 - regenerative burners, 164
 - Rheocasting**
 - methods
 - continuous rheoconversion process (CRP), 774, 775, 776
 - new rheocasting (NRC) process, 773, 774
 - rheo-diecasting process, 773–774, 775
 - semisolid rheocasting (SSR), 773
 - slurry-on-demand process, 773–774, 775
 - subliquidus casting (SLC), 773, 774
 - swirled enthalpy equilibrium device (SEED), 773–774, 775
 - overview, 773
 - Rotary impeller degassing, 187–188**
- S**
- Semisolid casting—introduction and fundamentals**
 - overview, 761, 762
 - SSM processing, advantages of, 762–763
 - SSM processing routes
 - rheocasting (slurry), 762–763
 - thixocasting (billet feedstock), 762
 - thixomolding (magnesium pellets), 763
 - Semisolid metal (SSM) processing, 762**
 - flow behavior of
 - rheology of, 379–380
 - semisolid slurries, yield stress of, 380
 - viscosity evolution during continuous cooling, 379
 - overview, 379
 - semisolid microstructural formation
 - copious nucleation, globular structure via, 381
 - forced convection, under, 380–381
 - semisolid processes: thixocasting versus rheocasting, 381
 - Shape casting of steel. See Steel, shape casting of**
 - Shape casting processes—an introduction, 485–487**
 - Shaw process**
 - all-ceramic mold casting, 623, 624, 625
 - ceramic facing, preparing, 623
 - composite ceramic mold, 623–624
 - overview, 622
 - patterns, 622–623
 - Shell molding and shell coremaking**
 - applicability, 599
 - casting process

1236 / Reference Information

Shell molding and shell coremaking (continued)

- metal-mold reactions, 610–611
- overview, 610
- shakeout, 611
- vertical versus horizontal parting, 610
- dimensional accuracy
 - chill, 614–615
 - hot tears, 614
 - inaccuracy and variation, causes of, 612
 - increasing, methods of, 612–613
 - net or near-net dimensional accuracy with shell molding, examples of, 613–614
 - overview, 611–612
 - surface defects, 615
- green sand molding, comparisons with examples, 615, 616
- pattern costs, 615–616
- mold defects, causes and prevention of
 - low hot tensile strength, 609
 - mold backup, 610
 - mold cracking, 608–609
 - mold shift, 610
 - of peelback, 609–610
 - soft molds, 609
- mold spread at parting line, methods to minimize
 - example: bolting of mold halves, 608, 609
 - example: use of flush-head ejection pins, 608
- molds and cores, production of
 - cores, 607
 - curing, 606–607, 608
 - dump-box molding, 605, 606
 - gating, 607, 608
 - mold blowing, 605–606, 607
 - overview, 604
 - patterns, heating of, 604–605
 - shell thickness, 606, 607
- overview, 598
- patterns and core boxes
 - overview, 603–604
 - pattern construction, 604
 - split core boxes, 604
- resin-sand mixtures, preparation of
 - coating and handling, equipment for, 602–603
 - cold coating, 601–602
 - hot coating, 602
 - overview, 601, 602
- resin-sand properties, control testing of, 603–604
- resins
 - additives, 601
 - alcohol content, 600
 - hexamethylenetetramine (hexa), 601
 - lubricants, 601
 - melting point, 600–601
 - overview, 600
 - phenol-formaldehyde resins, 600, 601
 - solids content, 600
 - viscosity, 600
 - water content, 600
- sand reclamation, 603
- shell sands, properties and selection of
 - breakage of molds, 600
 - grain size and shape, 599–600
 - moisture content, 600
 - overview, 599
- Shellvest system**, 658–660
- Shrinkage porosity**
 - feeding, 371–372
 - overview, 370
 - shrinkage, 370–371
- Skull melting**
 - furnaces, 139–140
 - induction skull melting, 140–141
 - overview, 139
 - vacuum arc skull melting, 139
- Slurry molding**
 - Antioch process, the, 620–621
 - foamed plaster molding process, 621–622
 - match plate pattern molding, 620
 - mold-drying equipment, 618
 - overview, 617
 - patterns and core boxes, 618
 - plaster mold casting, conventional, 619–620
 - plaster mold compositions
 - calcium sulfate, characteristics of, 617–618
 - overview, 617
 - plaster molding
 - advantages, 617
 - applications, 617
 - plaster mold casting, 617
 - plaster molds, metals cast in, 618–619
- Solid fluxes**
 - aluminum oxides, solvents of, 233
 - chlorides, 232
 - fluorides, 232
 - overview, 231–232
 - oxidizing compounds, 232
- Solidification, transport phenomena during**
 - balance equations
 - energy balance, 289
 - mass balance, 288
 - momentum balance, 288–289
 - overview, 288
 - solute balance, 289
 - fundamentals, 288
 - scaling, 289–290
 - transport and microstructure
 - homogenization, 292
 - microsegregation, 291–292
 - overview, 290
 - planar front growth, 290–291
- Spray casting**
 - atomization and the droplet spray, 383, 384
 - deposition and grain multiplication, 384–385
 - macrosegregation and coarsening, 385
 - microsegregation, 385
 - overview, 382
 - principles, 382–383
- Squeeze casting**
 - alloys, properties, and microstructures, commonly used, 730–731
 - applications, 729–730
 - casting and tooling design for, 727, 728
 - squeeze-cast applications, 729
 - squeeze-cast products, factors affecting
 - casting (cavity) pressure, 728
 - gate position, area, and velocity, 728–729
 - heat treatment, 729
 - lubricant, type of, 728
 - metal cleanliness, 728
 - metal temperature, 728
 - porosity, 729
 - presolidified layer (cold flakes) from the shot sleeve, 729
 - squeeze casting, 727
- Stack furnaces. See Reverberatory and stack furnaces**
- Steel casting properties**
 - carbon and low-alloy heat treatment
 - annealing, 970
 - hydrogen removal, 971
 - normalizing, 970–971
 - overview, 970
 - quenching, 970–971
 - stress relief, 971
 - tempering, 971
 - carbon and low-alloy mechanical properties
 - corrosion-resisting steels, mechanical properties of, 961, 965–966, 967
 - discontinuity effects, 959
 - elevated-temperature applications, 959, 960
 - hardenability, 953–954, 956
 - overview, 953, 956
 - section size and mass effects, 959, 961, 962–963
 - strength and ductility, 954, 956, 957
 - strength and fatigue, 956–959, 960, 961
 - strength and hardness, 954, 956
 - strength and toughness, 954–956
 - wear-resisting steels, mechanical properties of, 960–961
 - carbon steels, 949–950
 - common alloys, 953, 954, 955
 - corrosion-resistant steels, 951–952
 - ferrite in cast stainless steels
 - ferrite control, 969, 970
 - ferrite control, limits of, 969–970

- overview, 968
- significance of, 968–969
- heat-resistant steels, 952–953
- heat resisting steels, mechanical properties of
 - creep and stress-rupture properties, 966–968
 - elevated-temperature tensile properties, 966, 967, 968
 - hot gas corrosion, resistance to, 968, 969
 - thermal fatigue resistance, 968
 - thermal shock resistance, 968
- low-alloy steels, 950
- overview, 949
- wear-resistant steels, 950–951
- Steel castings, selection and evaluation of**
 - design
 - alloy designation, 980
 - alloy selection, 977–980
 - considerations, 976–977, 978
 - design impact, 975
 - design rules, general, 975–976
 - drawing notes, 980
 - material effects, 976
 - overview, 975
 - manufacturing
 - directional solidification, 981
 - draft, 980
 - heat treatment, 981
 - inclusion shape control, 980–981
 - minimum section thickness, 980
 - postprocessing, 982
 - pouring, 980–981
 - steel casting process, 981
 - weldability, 981–982
 - nondestructive examination (NDE)
 - general rules, 985
 - hardness testing, 984
 - leak testing, 984
 - magnetic particle inspection, 983
 - overview, 982
 - quality, 982
 - radiographic inspection, 983–984
 - testing, 982–983
 - tests and castings, 984–985
 - ultrasonic inspection, 984
 - visual inspection, 983
 - overview, 975
 - purchasing, 986
 - research and development, 986
- Steel continuous casting**
 - advantages of, 918
 - future developments, 924–925
 - historical aspects of, 918
 - horizontal continuous casting, 924, 925
 - molds for, 922–923
 - near-net shape casting, 919, 920, 921
 - plant layout, 919
 - pouring stream protection, 921–922
 - process, general description of, 918–919, 920
 - productivity improvements, 923–924
 - quality improvements, 924
 - tundish metallurgy, 920–921
- Steel ESR**
 - overview, 130
 - oxygen, behavior of, 130
 - sulfur, behavior of, 130
- Steel ingot casting**
 - hot tops, 913
 - ingot design, 912–913
 - ingot molds and stools, 913–914
 - ingot solidification, 914–917
 - overview, 911
 - pouring method, 911–912
- Steel melt processing**
 - converter metallurgy
 - argon oxygen decarburization, 208–212
 - overview, 208
 - vacuum oxygen decarburization (VODC), 212, 213, 214
 - coreless induction furnaces, 208
 - direct arc melting, 207
 - induction arc melting, 207–208
 - ladle metallurgy. *See* Ladle metallurgy
 - overview, 206

- refractories, 206–207
 - vacuum induction melting VIM, 208
 - Steel, shape casting of**
 - castability of
 - fluidity, 926–927
 - freezing range, 929
 - overview, 926
 - shrinkage, 927–928, 929
 - cores, size of, 947–948
 - design factors
 - machining allowances, 938
 - minimum thickness as a function of dimensions, 938
 - shape, considerations of, 936
 - thickness, of walls, webs, and ribs, 937–938
 - wall thickness, selection of, 936–937
 - foundry factors in design
 - gating design, 934–935
 - massive parts, positioning, 935
 - molding direction, choice of, 936
 - pouring direction, 935
 - pouring direction, choice of, 936
 - riser design, 934–935
 - surfaces to be machined, 935–936
 - graphite molds, casting in, 948
 - hot spots, avoidance of
 - closed sections, 942
 - dimensions, accuracy of, 942–943
 - holes, dimensioning of, 942
 - junction of five or more walls, 941
 - junction of four walls, 940–941
 - junction of three walls (T-piece), 940
 - junction of two walls (right-angle intersection), 940
 - machining operations, continuity of, 943, 944
 - machining, setting up for, 943
 - overview, 938–940
 - ribs and recessing, strengthening, 941
 - sand, hot spots in, 941–942
 - tool clearances, 943
 - melting furnaces
 - direct arc melting, 928–929
 - induction melting, 929–930
 - overview, 928
 - melting practice
 - argon-oxygen decarburization (AD), 933
 - boiling, 930, 931
 - deoxidation practice, 932–933
 - elements from slag, recovery, 931–932, 933
 - metallic charge material, selection of, 930
 - overview, 930
 - phosphorus, removal of, 930, 931
 - plasma refining, 933
 - powder injection/wire injection, 933
 - refining reactions, 930
 - sulfur, removal of, 930, 932
 - temperature control, 932
 - overview, 926
 - pouring practice
 - ladles, 934
 - overview, 933–934
 - thin-wall steel castings
 - alloy selection, 944, 945
 - distortion, 946
 - friction, 944
 - good design, examples of, 946, 947
 - mold filling, 944, 945
 - mold-filling problems, 945–946
 - mold gases, 944
 - overview, 943–944
 - soundness, 946
 - tool clearances, 944
 - tolerances
 - investment mold casting process, 946–947, 948
 - shell mold casting, 946
- Steelmaking, basic**
 - the charge, 95
 - oxidizing period, 95–96
 - reducing/refining the heat, 96–97
- Structure formation, direct modeling of**
 - cellular automaton method, direct grain structure simulation using
 - growth, 440–441
 - indices, 439
 - nucleation, 439–440
 - overview, 398–439, 440
 - direct structure simulation at macroscopic scale,
 - coupling of, 441–443
 - introduction, 435–436
 - phase field method, direct microstructure simulation using
 - hypereutectic AlCuSiMg alloy, equiaxed solidification of, 437–438
 - multicomponent alloy thermodynamics, 437
 - nucleation, 437
 - overview, 436–437
 - steel, microsegregation in, 438, 439
- T**
- TEMPUS**
 - advanced gradient heating facility (AGHF), 400
 - isothermal dendritic growth experiment (IDGE), 400
 - overview, 399
 - particle engulfment and pushing by solidifying interfaces, 399–400
 - solid-liquid mixtures, coarsening in, 400
 - solidification and pore formation, 400
- Ternary Fe-C-X systems**
 - carbon solubility in, influence of a third element on, 50
 - equilibrium temperatures, influence of third element on, 48–49
 - Fe-C-Mn system, 47–48
 - Fe-C-P system, 47
 - Fe-C-Si system, 47
 - overview, 47
 - third element phases in, partition of, 49–50
- Thermal analysis**
 - differential
 - differential thermal analysis, 355
 - simplified thermal analysis, 354–355
 - equilibrium, deviation from, 354
 - liquidus and solidus temperature, determining, 355–356
 - overview, 353
 - quantitative, 353–354
- Thermodynamics**
 - chemical thermodynamics, 31
 - enthalpy and heat capacity, 31
 - Gibbs free energy, 31–34
 - overview, 31
 - phase diagrams, 33–34
- Thermodynamics and phase diagrams**
 - overview, 269
 - phase diagrams
 - metastable phase diagrams, 271–272
 - overview, 271
 - phase diagrams and solidification, calculation of, 272–273
 - solidification, 272–273
 - thermodynamics, 269–271
- Thermophysical properties**
 - cast alloys, thermophysical property ranges of, 477, 478, 479
 - density, 471, 473
 - electrical and thermal conductivity, 474, 476–477
 - emissivity, 477
 - melting, solidus, and liquidus temperatures,
 - enthalpy of, 470–471, 477
 - methods to determine, 468–469
 - overview, 468, 469
 - reliable data, sources and availability of, 468
 - specific heat capacity and enthalpy of transformation, 470, 472
 - surface tension, 471, 473
 - thermal expansion, coefficient of, 471, 473, 478, 479
 - use of data, limitations and warnings on, 468
 - viscosity, 474
- Thixocasting**
 - bar-making processes
 - grain-refined billet, 765–766
 - mechanical stirring, 765
 - MHD-stirred billet, 766
 - overview, 764–765
 - strain-induced melt activation (SIMA), 765
 - billet sawing and volume control, 766–767
 - casting machine requirements, 771
 - casting process and parameters, 770–771
 - overview, 764
 - reheating and billet handling, 767–768
 - rheological tests, 698–769
 - semisolid tooling design, basics of, 769–770
- Thixomolding**
 - emerging developments
 - alloy design by blending and thixoblening, 778–779, 780
 - hot runners, 779
 - hot sprues, 779
 - overview, 778–779
 - scrap recycling, effect of, on mechanical properties, 779–780
 - mechanical properties and microstructure, 780–781
 - overview, 777
 - process description, 777–778, 779
- Titanium and titanium alloy castings**
 - alloy Ti-6Al-4V
 - as-cast and cast + HIP microstructures, 1133
 - cast microstructure, 1132–1133
 - hot isostatic pressing (HIP), 1133
 - mechanical properties of, 1134, 1135
 - microstructure, modification of, 1133–1134
 - casting
 - design, 1134–1136, 1137
 - melting and pouring, 1136–1137
 - molding methods, 1137
 - casting industry growth, 1128
 - casting technology, historical perspective of, 1129, 1130
 - commercially pure (CP) titanium, 1130
 - foundries and capacities, 1128
 - net-shape technology development, 1128
 - overview, 1128
 - physical metallurgy
 - alloy systems, 1129–1130
 - alloying elements, effects of, 1130
 - cast alloys, 1131–1132
 - overview, 1129–1130
 - titanium castings, microstructures of, 1130–1131
 - postcasting practice
 - chemical milling, 1137
 - final evaluation and verification, 1138
 - hot isostatic pressing (HIP), 1137
 - titanium castings, heat treatment of, 1138
 - welding, 1138
 - product applications, 1138–1140
 - reactivity, 1128–1129
 - wrought, properties comparable to, 1128, 1129
- Titanium VAR, 137–138**
- Transport phenomena and electromagnetics, modeling of**
 - advection-diffusion form, equations cast in, 427
 - electromagnetic effects in castings, simulation of, 431–432
 - flow, phenomena restraining or driving, 429
 - fronts and free surfaces, dealing with
 - computational front-tracking schemes, 429–430
 - overview, 429
 - VOF models in casting simulation, application of, 430–431
 - mass and momentum conservation, basic equations for, 427–428
 - overview, 425
 - solid + liquid mushy region, modeling the momentum in, 428
 - solute, conservation of
 - explicit numerical solution for energy and composition, 426
 - overview, 425–426
 - thermal energy, conservation of, 425
 - turbulence, modeling, 428–429
 - two-phase modeling, comment on, 427
- Transport phenomena during solidification**
 - balance equations
 - energy balance, 289
 - mass balance, 288

1238 / Reference Information

Transport phenomena during solidification (continued)

- momentum balance, 288–289
- overview, 288
- solute balance, 289
- fundamentals, 288
- scaling, 289–290
- transport and microstructure
 - homogenization, 292
 - microsegregation, 291–292
 - overview, 290
- planar front growth, 290–291

Tundishes, 174–175

U

Unicast horizontal casting system, 1023

Unicast process

- advantages, 624–625
- alloys cast, 625
- composite mold, 625
- final curing, 626
- mold stabilization, 626
- overview, 624
- patterns and flasks, 625
- process sequence, 626–627
- slurries, 626

V

Vacuum arc remelting (VAR)

- overview, 132
- process description
 - melt pool in, 133–134
 - overview, 132–133
 - process capabilities, 133
- process variables
 - arc stability, 135–136
 - melt rate, 135–136
 - overview, 135
 - remelting control anomalies, 137
- solidification
 - freckles, 135
 - overview, 134–135
 - tree ring patterns, 135
 - white spots, 135
- superalloy VAR, 137
- titanium VAR, 137–138

Vacuum high-pressure die casting

- conventional die casting, 732
- high-vacuum die casting
 - applications, 733
 - overview, 732–733
 - process steps, 733
- overview, 732
- vacuum die casting, 732
- vacuum riserless casting (VCR), 732

Vacuum induction melting (VIM)

- metallurgy
 - deoxidation, 121–122
 - hydrogen degassing, 121
 - melting bath agitation, 122
 - nitrogen degassing, 120–121
 - overview, 119–120

- refinement process, 120
- trace element removal, 120, 121
- vacuum induction degassing and pouring (VIDP) furnace, 122
- nonferrous materials, production of
 - alloying elements, selective evaporation of, 122–123
- aluminum alloys, 122
- copper alloys, 122–123
- examples, 123
- overview, 116
- process description, 116–117
 - filters, 119
 - process controls, 118
 - process sequence, 117–118
 - refractories, 117
 - shape casting, remelting by, 118–119

Vacuum ladle degassing (VD)

- overview, 220–221
- stirring procedures, 221
- vacuum oxygen decarburization (VODC), 221–222, 223, 224

Vertical centrifugal casting

- mold design, 680–681
- overview, 680, 681
- permanent molds, 683
 - end plate mold lock design, 683
 - end plate recess, 683
 - end plate thickness, 682–683
 - end plate wedge and pin design, 683
 - graphite and carbon molds, 684
 - metal mold design, 682, 683
 - metal molds, 681–682
 - metal molds, pretreatment for, 683
 - mold adapter tables, 683
 - mold wall thickness, 682, 683
 - permanent molds, mold wash for, 683
 - permanent steel molds, water cooling of, 683–684
- process details
 - casting inside diameters, 684–685
 - castings, extraction of, 685–686
 - mold speed curves, 684, 685
 - pouring techniques, 685
 - rotation, speed of, 685
- sand molds, 681

W

Werti strip casting, 1023

White iron and high-alloyed iron castings

- alloy grades, 896
- high-alloyed white cast irons, 896
- high-chromium white irons, 899–903
- nickel-chromium white irons, 896–899

X

X-ray imaging of solidification processes and microstructure

- further reading, 360
- overview, 357
- solidification processes, in-house laboratory x-ray imaging, 357–358

- synchrotron radiation, x-ray imaging studies of solidification processes with
 - overview, 358
 - x-ray radiography, 358–359
 - x-ray tomography, 359–360
 - x-ray topography, 358
- x-ray imaging, 357

Z

Zinc alloys, casting of

- alloy composition, control of, 1049
- die casting of
 - casting removal, 1053
 - casting temperature, control of, 1052
 - conveyors, 1054
 - die lubricants, 1052
 - die lubrication system, 1052–1053
 - die temperature, 1052
 - dies, 1051–1052
 - overview, 1051
 - trimming, 1053–1054
- melt processing
 - furnaces, 1049–1050
 - galvanizing fluxes, 1050–1051
 - launder system, 1050
 - scrap return, 1050
 - zinc alloys, fluxing of, 1050
 - zinc alloys, inclusions in, 1050
- overview, 1049
- permanent mold casting, 1054
- plaster mold casting, 1054, 1055
- sand casting, 1054
- semisolid casting, 1054, 1055
- squeeze casting, 1055

Zinc and zinc alloy castings

- alloying additions, 1095–1096
- die casting and aging, 1097
- die castings, finishing of, 1098
- joining, 1099
- metalworking and machining, 1098–1099
- overview, 1095
- physical metallurgy, 1096–1097
- speciality alloys, 1097–1098
- zinc die castings, applications for, 1099

Zirconium and zirconium alloy castings

- casting processes
 - centrifugal casting, 1145
 - investment casting, 1145
 - overview, 1144
 - rammed graphite casting, 1144–1145
 - static casting, 1145
- melting processes, 1144
- overview, 1143
- processing
 - casting defects, weld repair of, 1146
 - casting evaluation processes, 1146
 - final surface finishes, 1145–1146
 - hot isostatic pressing (HIP), 1146
 - impact properties of, 1147
 - machining, 1147
 - overview, 1145
 - physical properties of, 1147, 1148
 - postweld heat treatment, 1146
 - zirconium reactivity considerations, 1143–1144



ASM International is the society for materials engineers and scientists, a worldwide network dedicated to advancing industry, technology, and applications of metals and materials.

ASM International, Materials Park, Ohio, USA
www.asminternational.org

This publication is copyright © ASM International®. All rights reserved.

Publication title	Product code
ASM Handbook Volume 15: Casting	05115G

To order products from ASM International:

Online Visit www.asminternational.org/bookstore

Telephone 1-800-336-5152 (US) or 1-440-338-5151 (Outside US)

Fax 1-440-338-4634

Mail Customer Service, ASM International
9639 Kinsman Rd, Materials Park, Ohio 44073-0002, USA

Email CustomerService@asminternational.org

In Europe American Technical Publishers Ltd.
27-29 Knowl Piece, Wilbury Way, Hitchin Hertfordshire SG4 0SX,
United Kingdom
Telephone: 01462 437933 (account holders), 01462 431525 (credit card)
www.ameritech.co.uk

In Japan Neutrino Inc.
Takahashi Bldg., 44-3 Fuda 1-chome, Chofu-Shi, Tokyo 182 Japan
Telephone: 81 (0) 424 84 5550

Terms of Use. This publication is being made available in PDF format as a benefit to members and customers of ASM International. You may download and print a copy of this publication for your personal use only. Other use and distribution is prohibited without the express written permission of ASM International.

No warranties, express or implied, including, without limitation, warranties of merchantability or fitness for a particular purpose, are given in connection with this publication. Although this information is believed to be accurate by ASM, ASM cannot guarantee that favorable results will be obtained from the use of this publication alone. This publication is intended for use by persons having technical skill, at their sole discretion and risk. Since the conditions of product or material use are outside of ASM's control, ASM assumes no liability or obligation in connection with any use of this information. As with any material, evaluation of the material under end-use conditions prior to specification is essential. Therefore, specific testing under actual conditions is recommended.

Nothing contained in this publication shall be construed as a grant of any right of manufacture, sale, use, or reproduction, in connection with any method, process, apparatus, product, composition, or system, whether or not covered by letters patent, copyright, or trademark, and nothing contained in this publication shall be construed as a defense against any alleged infringement of letters patent, copyright, or trademark, or as a defense against liability for such infringement.